

PUBLISHED ARTICLES IN "PEER-REVIEW" JOURNALS

1. **Bigi R**, Cortigiani L, Bovenzi F, Fiorentini C. Assessing functional mitral regurgitation with exercise echocardiography: rationale and clinical applications. *Cardiovascular Ultrasound* 2009; 7:57
2. Gregori D, **Bigi R**, Cortigiani L, Bovenzi F, Fiorentini C, Picano E. Non-invasive risk stratification of coronary artery disease: an evaluation of some commonly used statistical classifiers in terms of predictive accuracy and clinical usefulness. *J Eval Clin Pract.* 2009;15:777-81.
3. Rambaldi R, **Bigi R**, Fiorentini C. Noninvasive techniques to assess myocardial ischemia in hypertensive patients. *Future Cardiol.* 2008;4:569-81
4. Cortigiani L, **Bigi R**, Sicari R, Landi P, Bovenzi F, Picano E. Stress echocardiography for the risk stratification of patients following coronary bypass surgery. *Int J Cardiol* 2009 Mar 31. [Epub ahead of print]
5. Cortigiani L, Sicari R, **Bigi R**, Landi P, Bovenzi F, Picano E. Impact of gender on risk stratification by stress echocardiography. *Am J Med* 2009;122:301-9.
6. Cortigiani L, Sicari R, **Bigi R**, Gherardi S, Rigo F, Gianfaldoni ML, Landi P, Bovenzi F, Picano E. Usefulness of stress echocardiography for risk stratification of patients after percutaneous coronary intervention. *Am J Cardiol* 2008;102:1170-4.
7. Silva-Orrego P, **Bigi R**, Colombo P, De Marco F, Oreglia JA, Klugmann S, Gregori D. Direct Stenting after Thrombus Removal before Primary Angioplasty in Acute Myocardial Infarction. *J Interven Cardiol* 2008;21:300-06. DOI: 10.1111/j.1540-8183.2008.00371.x
8. Bestetti A, Castini D, **Bigi R**, Maioli C, Lombardi F, Gregori D, Cornalba G. Truncal fat determined by dual-energy X-ray absorptiometry is an independent predictor of coronary artery disease extension. *Eur J Cardiovasc Prev Rehabil.* 2008;15:428-33.
9. Petrinco M, Pagano E, Desideri A, **Bigi R**, Ghidina M, Ferrando A, Cortigiani L, Merletti F, Gregori D. Information on Center Characteristics as Costs' Determinants in Multicenter Clinical Trials: Is Modeling Center Effect Worth the Effort? *Value Health.* 2008 Jul 18. [Epub ahead of print]
10. Baldi I, Maule M, **Bigi R**, Cortigiani L, Bo S, Gregori D. Some notes on parametric link functions in clinical research. *Stat Methods Med Res* 2008 Jun 18. [Epub ahead of print]
11. **Bigi R**, Cortigiani L, Gregori D, Fiorentini C. The Stress-Recovery Index for the risk stratification of women with typical chest pain *Int J Cardiol* 2008;127:64-69
12. Pagano E, Petrinco M, Desideri A, **Bigi R**, Merletti F, Gregori D. Survival models for cost data: The forgotten additive approach. *Stat Med* 2008 Mar 12; [Epub ahead of print]
13. Cortigiani L, **Bigi R**, Sicari R, Rigo F, Bovenzi F, Picano E. Comparison of prognostic value of pharmacologic stress echocardiography in chest pain patients with versus without diabetes mellitus and positive exercise electrocardiography. *Am J Cardiol* 2007;100:1744-1799
14. Cortigiani L, Sicari R, Desideri A, **Bigi R**, Bovenzi F, Picano E; on behalf of the VIDA (Viability Identification with Dobutamine Administration) Study Group. Dobutamine stress

- echocardiography and the effect of revascularization on outcome in diabetic and non-diabetic patients with chronic ischaemic left ventricular dysfunction. *Eur J Heart Fail* 2007;9:1038-1043
15. Gregori D, Desideri A, **Bigi R**, Petrinco M, Cortigiani L, Zigon G, Pagano E. Proper modeling strategies selection for the assessment of post-infarction costs. *Int J Cardiol* 2007; doi:10.1016/j.ijcard.2007.05.024
 16. **Bigi R**, Cortigiani L, Gregori D, Fiorentini C. Comparison of the prognostic value of the Stress-Recovery Index versus standard electrocardiographic criteria in patients with a negative exercise electrocardiogram. *Am J Cardiol* 2007;100:605-609
 17. Cortigiani L, **Bigi R**, Sicari R, Landi P, Bovenzi F, Picano E. Prognostic implications of dipyridamole or dobutamine stress echocardiography for evaluation of patients ≥ 65 years of age with known or suspected coronary heart disease. *Am J Cardiol* 2007;99:1491-1495.
 18. Baroldi G, **Bigi R**, Cortigiani L. Ultrasound Imaging Versus Morphopathology in Cardiovascular Diseases: The Heart Failure. *Cardiovascular Ultrasound* 2007, 5:5 doi:10.1186/1476-7120-5-5
 19. Silva-Orrego P, Colombo P, **Bigi R**, Gregori D, Delgado A, Salvadé P, Oreglia J, Orrico P, de Biase A, Piccalò G, Bossi I, and Klugmann S. Thrombus Aspiration Before Primary Angioplasty Improves Myocardial Reperfusion in Acute Myocardial Infarction: The DEAR-MI (Dethrombosis to Enhance Acute Reperfusion in Myocardial Infarction) Study. *J Am Coll Cardiol* 2006 48: 1552-1559
 20. **Bigi R**, Bestetti A, Strinchini A, Conte A, Gregori D, Brusoni B, Fiorentini C. Combined assessment of left ventricular perfusion and function by gated single-photon emission computed tomography for the risk stratification of high-risk hypertensive patients. *J Hypertens* 2006;24:767-773
 21. **Bigi R**, De Chiara B, Fiorentini C. Recenti acquisizioni sull'analisi dei risultati dell'elettrocardiogramma da sforzo per la diagnosi e la prognosi della cardiopatia ischemica. *Rec Progr Med* 2006;97:147-152
 22. Cortigiani L, **Bigi R**, Sicari R, Landi P, Bovenzi F, Picano E. Prognostic value of pharmacological stress echocardiography in diabetic and nondiabetic patients with known or suspected coronary artery disease. *J Am Coll Cardiol* 2006 Feb 7;47:605-10
 23. **Bigi R**, Mafriaci A, Colombo P, Gregori D, Corrada E, Alberti A, De Biase A, Orrego PS, Fiorentini C, Klugmann S. Relation of Terminal QRS Distortion to Left Ventricular Functional Recovery and Remodeling in Acute Myocardial Infarction Treated With Primary Angioplasty. *Am J Cardiol* 2005;96:1233-6
 24. Baroldi G, **Bigi R**, Cortigiani L. Ultrasound imaging versus morphopathology in cardiovascular diseases. Myocardial cell damage. *Cardiovascular Ultrasound* 2005;3:32
 25. Varga A, Kraft G, Lakatos F, **Bigi R**, Paya R, Picano E. Complications during pharmacological stress echocardiography: a video-case series. *Cardiovascular Ultrasound* 2005;3:25
 26. Cortigiani L, **Bigi R**, Gregori D, Sicari R, Picano E. Prognostic value of a multiparametric risk score in patients undergoing dipyridamole stress echocardiography. *Am J Cardiol* 2005;96:529-32
 27. Cortigiani L, Desideri A, Gigli G, Vallebona A, Terlizzi R, Giusti R, Rossi B, Solari P, Antonelli A, **Bigi R**. Clinical, resting echo and dipyridamole stress echocardiography findings for the screening of renal transplant candidates. *Int J Cardiol* 2005;103:168-174

28. **Bigi R**, Cortigiani L, Gregori D, Colombo P, Fiorentini C. Stress-recovery index for risk stratification of asymptomatic patients following coronary bypass surgery. *Chest* 2005;128:42-47
29. **Bigi R**, Cortigiani L, Gregori D, Bax JJ, Fiorentini C. Prognostic value of combined exercise and recovery electrocardiographic analysis. *Arch Intern Med* 2005;165:1253-1258
30. **Bigi R**, Bax JJ, van Domburg RT, Elhendy A, Cortigiani L, Schinkel AFL, Fiorentini C, Poldermans D. Simultaneous echocardiography and myocardial perfusion single photon emission computed tomography associated with dobutamine stress to predict long-term cardiac mortality in normotensive and hypertensive patients. *J Hyperten* 2005;23:1409-1415
31. De Chiara B, **Bigi R**, Campolo J, Parolini M, Turazza F, Masciocco G, Frigerio M, Fiorentini C, Parodi O. Blood glutathione as a marker of cardiac allograft vasculopathy in heart transplant recipients. *Clin Transplant*. 2005;19:367-71.
32. **Bigi R**, Gregori D, Cortigiani L, Desideri A, Chiarotto FA, Toffolo G. Artificial neural networks and robust bayesian classifiers for risk stratification following uncomplicated myocardial infarction. *Int J Cardiol* 2005;101:481-87.
33. **Bigi R**. De Chiara B. Prognostic value of noninvasive stressing modalities in patients with chest pain and normal coronary angiogram. *Herz* 2005;30:61-66
34. Baroldi G, **Bigi R**, Cortigiani L. Ultrasound imaging versus morphopathology in cardiovascular diseases. Coronary collateral circulation and atherosclerotic plaque. *Cardiovascular Ultrasound* 2005;3:6 doi:10.1186/1476-7120-3-6
35. **Bigi R**, Cortigiani L. Stress testing in women: sexual discrimination or equal opportunity? *Eur Heart J* 2005; 26:423-5
36. Desideri A, Fioretti PM, Cortigiani L, Trocino G, Astarita C, Gregori D, Bax J, Velasco J, Celegon L, **Bigi R**, Pirelli S, Picano E. Pre-discharge stress echocardiography and exercise ECG for risk stratification after uncomplicated acute myocardial infarction: results of the COSTAMI-II (cost of strategies after myocardial infarction) trial. *Heart* 2005;91:146-51.
37. Cortigiani L, Desideri A, **Bigi R**. Echocardiography for Risk Stratification of Myocardial Infarction in the Reperfusion Era. *Clin Cardiol* 2005;28:3-7
38. Corrada E, **Bigi R**, Colombo P, Bossi I, De Biase AM, Mafrici A, Parodi O, Klugmann S. Cardiac death and heart failure following primary angioplasty in extensive myocardial infarction: incremental prognostic value of clinical, functional and angiographic data. *Ital Heart J*. 2004;5:912-8.
39. Baroldi G, **Bigi R**, Cortigiani L. Ultrasound imaging versus morphopathology in cardiovascular diseases. Coronary atherosclerotic plaque. *Cardiovascular Ultrasound* 2004;2:29 doi:10.1186/1476-7120-2-29
40. Alamanni F, Parolari A, Repossini A, Doria E, Bortone F, Campolo J, Pepi M, Sisillo E, Naliato M, **Bigi R**, Biglioli P, Parodi O. Coronary blood flow, metabolism, and function in dysfunctional viable myocardium before and early after surgical revascularisation. *Heart*. 2004 ;90:1291-1298.
41. **Bigi R**, Cortigiani L, Gregori D, De Chiara B, Parodi O, Fiorentini C. Exercise versus recovery electrocardiography for predicting outcome in hypertensive patients with chest pain. *J Hypertens* 2004;22:2193-2199

42. **Bigi R**, Verzoni A, Cortigiani L, De Chiara B, Desideri A, Fiorentini C: Effect of pharmacological wash-out in patients undergoing exercise testing after acute myocardial infarction. *Int J Cardiol* 2004;97:277-281
43. Sicari R, Cortigiani L, **Bigi R**, Landi P, Raciti M, Picano E. Prognostic Value of Pharmacological Stress Echocardiography Is Affected by Concomitant Antiischemic Therapy at the Time of Testing. *Circulation* 2004;109:2428-2431
44. **Bigi R**, Cortigiani L, Gregori D, De Chiara B, Fiorentini C. Exercise versus recovery electrocardiography in predicting mortality in patients with uncomplicated myocardial infarction. *Eur Heart J* 2004;25:558-564
45. Cortigiani L, **Bigi R**, Gigli G, Dodi C, Mariotti E, Coletta C, Astarita C, Picano E. Prediction of mortality in patients with right bundle branch block referred for pharmacologic stress echocardiography. *Am J Cardiol* 2003;92:1429-1433
46. Lorenzoni R, Cortigiani L, Magnani M, Desideri A, **Bigi R**, Manes C, Picano E. Cost-effectiveness analysis of noninvasive strategies to evaluate patients with chest pain. *J Am Soc Echocardiogr* 2003;16:1287-1291.
47. Sicari R, Picano E, Cortigiani L, Borges AC, Varga A, Palagi C, **Bigi R**, Rossini R, Pasanisi E. Prognostic value of myocardial viability recognized by low-dose dobutamine echocardiography in chronic ischemic left ventricular dysfunction. *Am J Cardiol* 2003;92:1263-1266.
48. Cortigiani L, **Bigi R**, Rigo F, Landi P, Baldini U, Mariani PR, Picano E. Diagnostic value of exercise electrocardiography and vasodilator stress echocardiography in hypertensive and normotensive chest pain patients with right bundle branch block. *J Hypertens* 2003;21:2189-94.
49. De Chiara B, **Bigi R**, De Voto E, Cavenaghi G, Turazza F, Sara M, Colombo T, Figerio M, Parodi O. Usefulness of chronotropic incompetence to dipyridamole in predicting myocardial perfusion defects in heart transplant recipients. *Am J Cardiol* 2003;92:1001-1004
50. Desideri A, Fioretti PM, Cortigiani L, Gregori D, Coletta C, Vigna C, Tota F, Rambaldi R, Bax JJ, Celegon L, **Bigi R**, Picano E, on behalf of the COSTAMI (Cost of Strategies After Myocardial Infarction) Trial Investigators. Cost of strategies after myocardial infarction (COSTAMI). A multicentre, international, randomized trial for cost-effective discharge after uncomplicated myocardial infarction. *Eur Heart J* 2003;24:1630-1639
51. **Bigi R**, Cortigiani L, Colombo P, Desideri A, Bax JJ, Parodi O. Prognostic and Clinical Correlates of Angiographically Diffused Non-Obstructive Coronary Lesions. *Heart* 2003;89:1009-1013
52. **Bigi R**, Cortigiani L, Desideri A. Exercise electrocardiography after acute coronary syndromes: still the first testing modality? *Clin Cardiol* 2003;26:390-395
53. Coletta C, Sestili A, Seccareccia F, Rambaldi R, Ricci R, Galati A, **Bigi R**, Aspromonte N, Renzi M, Ceci V. Influence of contractile reserve and inducible ischemia on left ventricular remodeling after acute myocardial infarction. *Heart* 2003;89:1138-1143
54. Cortigiani L, **Bigi R**, Gigli G, Coletta C, Mariotti E, Dodi C, Astarita C, Picano E. Prognostic Significance of Intraventricular Conduction Defects in Patients Undergoing Stress Echocardiography for Suspected Coronary Artery Disease. *Am J Med* 2003;115:12-18

55. Cortigiani L, Coletta C, **Bigi R**, Amici E, Desideri A, Odoguardi L Risk stratification of hypertensive patients with chest pain by clinical, exercise electrocardiography and stress echocardiography data. *Am J Cardiol* 2003;91:941-945
56. Amici E, Cortigiani L, Coletta C, Franzin S, **Bigi R**, Desideri A, Gambelli G, Ceci V. Usefulness of pharmacologic stress echocardiography for the long-term prognostic assessment of patients with typical versus atypical chest pain. *Am J Cardiol* 2003;91:440-442
57. Desideri A, **Bigi R**, Cortigiani L, Rambaldi R, Sabbadin D, Curti G, Celegon L. Risk Predischarge exercise electrocardiogram and stress echocardiography can predict long-term clinically driven revascularization following acute myocardial infarction. *Clin Cardiol* 2003;26:67-70
58. **Bigi R**, Cortigiani L, Bax JJ, Colombo P, Desideri A, Sponzilli C, Fiorentini C. Stress echocardiography for risk stratification of patients with chest pain and normal or slightly narrowed coronary arteries. *J Am Soc Echocardiogr* 2002;15:1285-1289.
59. Desideri A, Zanco PL, Bertella M, **Bigi R**, Cortigiani L, Bax JJ, Suzzi GL, Celegon L. The role of resting ECG in the assessment/exclusion of viable myocardium in chronic ischemic cardiomyopathy; comparison with positron emission tomography. *Am J Cardiol* 2002;90:878
60. Pellicano R, Parravicini PP, **Bigi R**, Gandolfo N, Aruta E, Gai V, Figura N, Angelino P, Rizzetto M, Ponzetto A. Infection by Helicobacter pylori and acute myocardial infarction. Do cytotoxic strains make a difference? *New Microbiol* 2002;25:315-21
61. **Bigi R**, Cortigiani L, Mariani PR, Bax JJ. Sustained favourable long-term prognosis of a normal stress echo following acute myocardial infarction. *Am J Cardiol* 2002;90:149-152
62. Cortigiani L, Zanetti L, **Bigi R**, Desideri A, Fiorentini C, Nannini C. Safety and Feasibility of Dobutamine and Dipyridamole Stress Echocardiography in Hypertensive Patients. *J Hypertens* 2002;20:1-7
63. **Bigi R**, Cortigiani L, Desideri A, Colombo P, Sponzilli C, Bax JJ, Fiorentini C. Clinical and angiographic correlates of dobutamine-induced wall motion patterns after myocardial infarction. *Am J Cardiol* 2001;88:944-948
64. **Bigi R**, Desideri A, Rambaldi R, Cortigiani L, Sponzilli C, Fiorentini C. Angiographic and prognostic correlates of cardiac output by cardiopulmonary exercise testing in anterior myocardial infarction. *Chest* 2001;120:825-33
65. **Bigi R**, Desideri A, Cortigiani L, Bax JJ, Celegon L, Fiorentini C. Stress echocardiography for risk stratification of diabetic patients with known or suspected coronary artery disease. *Diabetes Care* 2001;24:1596-601
66. Cortigiani L, Gigli G, Vallebona A, Mariani PR, **Bigi R**, Desideri A. The stress echo prognostic gender gap. *Eur J Echocardiogr* 2001;2:132-138
67. Sicari R, Ripoli A, Picano E, Borges AC, Varga A, Mathias W, Cortigiani L, **Bigi R**, Heyman J, Polimeno S, Silvestri O, Gimenez V, Caso P, Severino S, Djordjevic-Dikic, Ostojc M, Baldi C, Seveso S, Petix N on behalf of the VIDA (Viability Identification with Dipyridamole Administration) Study Group. The prognostic value of myocardial viability recognized by low dose dipyridamole echocardiography in patients with chronic ischemic left ventricular dysfunction. *Eur Heart J* 2001;22:837-844

68. Cortigiani L, Picano E, Vigna G, Lattanzi F, Coletta C, Mariotti E, **Bigi R**. Prognostic Value of Pharmacologic Stress Echocardiography in Patients with Left Bundle Branch Block. *Am J Med* 2001;110:361-369
69. Cortigiani L, Desideri A, **Bigi R**. Eco-stress nell'iter diagnostico della cardiopatia ischemica. *Ital Heart J* 2001;2:250-255
70. Desideri A, **Bigi R**, Cortigiani L. Evidence-based and every-day medicine: un problema non solo italiano. *Ital Heart J* 2001;2:89-91
71. Desideri A., **Bigi R.**, Cortigiani L. Efficient and appropriate management of patients with an acute coronary syndrome. *Ital Heart J* 2001;2:31-34
72. **Bigi R.**, Galati A., Curti G., Barlera S. Evaluating prognostic value of residual ischemia after MI. *Cardiol. Re.* 2000;17:18-20
73. **Bigi R**, Cortigiani L, Desideri A. Noninvasive diagnostic and prognostic assessment of single-vessel coronary artery disease. Focus on stress echocardiography. *Eur J Echocardiogr* 2001;2:40-45
74. **Bigi R**, Galati A, Desideri A, Bax JJ, Coletta C, Fiorentini C, Fioretti PM Incremental prognostic value of stress echocardiography as adjunctive test to exercise electrocardiography following uncomplicated myocardial infarction. *Heart* 2001;85:417-423
75. **Bigi R**, Desideri A, Bax JJ, Galati A, Coletta C, Fiorentini C, Fioretti PM. Prognostic Interaction Between Viability and Residual Myocardial Ischemia by Dobutamine Stress Echocardiography in Patients With Acute Myocardial Infarction and Mildly Impaired Left Ventricular Function. *Am J Cardiol* 2001;87:283-288
76. Rambaldi R, **Bigi R**, Desideri A, Curti G, Occhi G. Prognostic usefulness of dobutamine-induced ST segment elevation and T-wave normalization after uncomplicated acute myocardial infarction. *Am J Cardiol* 2000;86:786-789
77. **Bigi R.**, Galati A., Curti G. and Barlera S. Evaluating prognostic value of residual ischemia after myocardial infarction. *Cardiology Review* 2000;17:18-20
78. Desideri A, **Bigi R**, Terlizzi R, Cortigiani L, Suzzi GL, Ginocchio G, Celegon L, Fioretti PM. Noninvasive risk stratification in women with uncomplicated acute myocardial infarction. *Am J Cardiol* 2000;86:333-336
79. Pellicano R, Parravicini PP, **Bigi R**, Rovere MT, Baduini G, Gandolfo N, Casaccia M, Reforzo F, Santoriello L, Aruta E, Marengo G, Arena V, Bazzoli F, Rizzetto M, Ponzetto A. Patients with acute myocardial infarction in northern Italy are often infected by Helicobacter pylori. *Panminerva Med* 1999; 41:279-82
80. Desideri A, **Bigi R**, Suzzi GL, Coletta C, Gregori D, Valente G, Fioretti P. Stress echocardiography and exercise electrocardiography for risk stratification after non-Q-wave uncomplicated myocardial infarction. *Am J Cardiol* 1999;84:6:739-741
81. Rambaldi R, **Bigi R**, Curti G, Occhi, G. T wave positivization by dobutamine stress echocardiography after acute myocardial infarction: a clinical marker of higher cardiac risk. *Cardiologia* 1999;44:647-652

82. **Bigi R**, Curti G, Sponzilli C, Fuscaldo G, Occhi G, Fiorentini C. Assessment of multivessel coronary artery disease by means of stress-recovery st/hr index in postinfarction patients on beta-blocker therapy. *Ann Noninv Electrocardiol* 1999;4:60-66
83. Castini D, Bestetti A, Garbin M, Di Leo C, **Bigi R**, Sponzilli C, Concardi G, Gioventu M, Tarolo GL, Lombardi F, Fiorentini C. Myocardial viability assessment after acute myocardial infarction: low-dose dobutamine echocardiography versus rest-redistribution thallium-201 SPECT. *Cardiologia* 1999;44:817-23
84. **Bigi R**, Curti G, Sponzilli C, Castini D, Occhi G, Fiorentini C. Spontaneous time-course of dobutamine-induced wall motion abnormalities in the infarct area following thrombolytic therapy. *Int J Cardiac Imag* 1998;14:381-384
85. Castini D, Garbin M, **Bigi R**, Occhi G, Concardi G, Belletti S, Gioventù M, Sponzilli C, Fiorentini C. Early assessment of viable myocardium after acute myocardial infarction by low-dose echo-dobutamine. *G. Ital. Cardiol* 1998;28:1215-1224
86. Galati A, **Bigi R**, Coletta C, Fiorentini C, Ricci R, Occhi G, Sestili A, Rulli V, Aspromonte N, Fera L, Greco C, Guagnozzi A, Ceci V. Multicenter trial on prognostic value of inducible ischemia assessed by dobutamine stress echocardiography and exercise electrocardiography test in patients with uncomplicated myocardial infarction treated with thrombolytic therapy. *Int J Cardiac Imag* 1998;14:155-62
87. Cortigiani L, Picano E, Landi P, Previtali M, Pirelli S, Bellotti P, **Bigi R**, Magaia O, Galati A, Nannini E on behalf of Echo-Persantin (EPIC) and Echo-Dobutamine (EDIC) Study Groups. Value of pharmacological stress echocardiography in risk stratification of patients with single-vessel disease. A report from Echo-Persantin and Echo-Dobutamine International Cooperative Studies. *J Am Coll Cardiol* 1998;32:69-74
88. Picano E, Sicari R, Landi P, Cortigiani L, **Bigi R**, Coletta C, Galati A, Heyman J, Mattioli R, Previtali M, Mathias W Jr, Dodi C, Minardi G, Lowenstein J, Seveso G, Pingitore A, Salustri A, Raciti M on behalf of EDICS (Echo Dobutamine International Cooperative Study) Group. Prognostic value of myocardial viability in medically treated patients with global left ventricular dysfunction early after an uncomplicated myocardial infarction: a dobutamine stress echocardiographic study. *Circulation* 1998;98:1078-1084
89. **Bigi R**, Galati A, Curti G, Coletta C, Fedeli F, Ricci R, Occhi G, Ceci V, Fiorentini C. Different clinical and prognostic significance of painful and silent myocardial ischemia detected by exercise electrocardiography and dobutamine stress echocardiography after uncomplicated myocardial infarction. *Am J Cardiol* 1998;81:75-78
90. Fiorenzano G, Papalia MA, Parravicini M, Rastelli V, **Bigi R**, Dottorini M. Prolonged ECG abnormalities in a subject with high altitude pulmonary edema (HAPE). *J Sports Med Phys Fitness* 1997;37:292-296
91. **Bigi R**, Galati A, Curti G, Coletta C, Partesana N, Bordini L, Barlera S, Ceci V, Occhi G, Fiorentini C. Prognostic value of residual ischemia assessed by means of exercise electrocardiography and dobutamine stress echocardiography after uncomplicated myocardial infarction. *Eur Heart J* 1997;18:1873-1881
92. Ricci R, **Bigi R**, Coletta C, Galati A, Bandini P, Verzoni A, Greco G, Fiorentini C, Occhi G, Ceci V. Dobutamine-induced ST segment elevation in Q-wave leads: the role of myocardial ischemia, viability and ventricular dyssynergy. *Am J Card* 1997;79:733-737

93. Sicari R, Picano E, Landi P, Pingitore A, **Bigi R**, Coletta C, Heyman Joanna, Casazza F, Previtali M, Mathias W Jr., Dodi C, Minardi G, Lowenstein J, Garyfallidis X, Cortigiani L, Morales MA, Raciti M, on Behalf of the Echo Dobutamine International Cooperative (EDIC) Study. Prognostic value of Dobutamine-atropine stress echocardiography early after acute myocardial infarction. *J Am Coll Cardiol* 1997;29:254-260
94. Varga A, Picano E, Cortigiani L, Petix N, Margaria F, Magaia O, Heymann J, **Bigi R**, Mathias W Jr, Gigli G, Landi P, Raciti M, Pingitore A, Sicari R on behalf of EPIC-EDIC study group. Is stress echocardiography capable to predict the site of future myocardial infarction? *J Am Coll Cardiol* 1996;28:45-51
95. **Bigi R**: Complications of pharmacologic stress echocardiography. *Clin Cardiol* 1996;19:776-780
96. Pingitore A, Picano E, Quarta Colosso M, Reisenhofer B, Gigli G, Lucarini AR, Petix N, Previtali M, **Bigi R**, Chiarandà G, Minardi G, de Alcantara M, Lowenstein J, Sclavo MG, Palmieri C, Galati A, Seveso G, Heyman J, Mathias W Jr, Casazza F, Sicari R, Raciti M, Landi P, Marzilli M on behalf of EPIC-EDIC study group. The atropine factor in pharmacological stress echocardiography. *J Am Coll Cardiol* 1996;27:1164-1170
97. Pingitore A, Sicari R, Ostojic M, Cortigiani L, Djordjevic-Dikic A, Varga A, Andrade MJ, Barbosa M, Torres MA, Quarta Colosso M, Gigli G, Lucarini AR, Petix N, Bigi R, Chiarandà G, Minardi G, De Alcantara M, Lowenstein J, Sclavo MG, Galati A, Seveso G, Heyman J, Mathias W Jr, Casazza F, Raciti M, Landi P, Picano E on behalf of EPIC-EDIC Study Group. Dipyridamole stress echocardiography: diagnostic results and indications. *Cardiovasc Imag* 1996;8:77-80
98. Ricci R, **Bigi R**, Coletta C, Galati A, Bandini P, Verzoni A, Lumia F, Fiorentini C, Occhi G, Ceci V. Sopraslivellamento del segmento ST in sede di necrosi durante eco-dobutamina: ruolo dell'ischemia e vitalità e dell'asinergia ventricolare. *Cardiovasc Imag* 1996;8:215-218
99. **Bigi R**, Partesana N, Verzoni A, Bandini P, Maffi M, Longoni A, Occhi G, Fiorentini C: Significance of complex ventricular arrhythmias during dobutamine stress echocardiography early after acute myocardial infarction *Eur Heart J* 1995;16:1819-1824
100. **Bigi R**, Occhi G, Fiorentini C, Partesana N, Bandini P, Sponzilli C, Inglese L Dobutamine Stress Echocardiography for the identification of multivessel disease after acute myocardial infarction: the importance of test end-point. *Int J Cardiol* 1995;50:51-60
101. Picano E, Landi P, Raciti M, Pingitore A, Sicari R, Vassalle C, Mathias W, Lowenstein J, Petix N, Gigli G, **Bigi R**, Salustri A, Heyman J, Mattioli R, Chiarandà G, Galati A on behalf of the EPIC-EDIC study project The multicenter trial philosophy in stress echocardiography: lessons learned from the EPIC study. *Eur Heart J* 1995;16(Supp J):2-4
102. Picano E, Mathias W, Pingitore A, **Bigi R**, Previtali M, on behalf of the Echo Dobutamine International Cooperative Study Group: Safety and tolerability of dobutamine-atropine stress echocardiography: a prospective, multicenter study. *Lancet* 1994;344:1190-1192
103. **Bigi R**, Maffi M, Occhi G, Bolognese L, Pozzoni L: Improvement of identification of multivessel disease after acute myocardial infarction following stress-recovery analysis of ST depression in heart rate domain during exercise. *Eur Heart J* 1994;15:1240-1246
104. Occhi G, **Bigi R**, Sala G, Valagussa F, Malinverni C, Mazzoleni D, Acquistapace F, Zattoni G: Prevalenza dell'ipertensione arteriosa in una popolazione di pazienti afferiti ad una struttura riabilitativa dopo infarto miocardico acuto *G Riabil* 1994; X,3:144-147

105. **Bigi R**, Bandini P, Castagnone M, Pozzoni L, Occhi G: Determination of agreement between cardiopulmonary and standard ECG stress testing in coronary artery disease. *Eur Heart J* 1993;14:1210-1215
106. Maggioni AP, Zuanetti G, Franzosi MG, Rovelli F, Santoro E, Staszewsky L, Tavazzi L, Tognoni G, Feruglio GA, Lotto A, Solinas P, De Vita C, Mauri F, Volpi A, Santoro L, Anselmi M, Barbonaglia L, **Bigi R**, Cavalli A. Prevalence and prognostic significance of ventricular arrhythmias after acute myocardial infarction in the fibrinolytic era: GISSI-2 results. *Circulation* 1993;87:312-322
107. **ADEG** Investigators. A multicenter, randomized trial on the benefit/risk profile of amiodarone, flecainide and propafenone in patients with cardiac disease and complex ventricular arrhythmias. *Eur Heart J* 1992;13:1251-58
108. Zuanetti G, Latini R, Neilson JMM, Schwartz PJ, Ewing DJ and **ADEG**: Heart rate variability in patients with ventricular arrhythmias: effect of antiarrhythmic drugs. *J Am Coll Cardiol* 1991;17:604-612
109. Occhi G, **Bigi R**, Partesana N: Effetti acuti del Diltiazem nell' ipertensione polmonare secondaria a bronchite cronica ostruttiva *G Ital Cardiol* 1986;16:770-775
110. Salvadori A, **Bigi R**, Corradetti C, Occhi G, Partesana N, Zatta G, Tarolo GL: M. di Recklinghausen e cardiomiopatia ipertrofica: descrizione di un caso con ipertrofia distrettuale. *Min Card* 1986;34:771-773
111. Occhi G, **Bigi R**, Corradetti C, Occhi G, Partesana N, Curti PC: Alterazioni del ritmo cardiaco in pazienti con bronchite cronica ostruttiva. *Min Pneum* 1984;23:223-228
112. GISSI-2 Investigators: A factorial randomized trial of alteplase versus streptokinase and heparin versus no heparin among 12,490 patients with acute myocardial infarction. *Lancet* 1990;336:65-71
113. **Bigi R**, Corradetti C, Occhi G, Partesana N. Can ECG and 2D-echo score predict functional capacity early after acute myocardial infarction? *Rehabil* 1988;21:36-371988
114. **Bigi R**, Camerone G, Corradetti C, Durante V, Occhi G, Toloni V: Effect of combined use of iv Salbutamol and Aminophylline on cardiac rhythm in chronic obstructive lung disease. *Respiration* 1987;51:119-126

BOOK CHAPTERS

1. **Bigi R**, Desideri A, Fioretti PM. Exercise Electrocardiography. In Roelandt JRTC and Verheugt FWA (Edit) "Essentials of acute coronary syndromes" Aventis, Hoevelaken, The Netherlands, 2000
2. **Bigi R**. Il test ergometrico. Trattato di Cardiologia dell'Associazione nazionale Medici cardiologi Ospedalieri.. Excerpta Medica, Milano, 2000
3. **Bigi R** Il rischio cardiaco die pazienti avviati a chirurgia vascolare: il test da sforzo. Annali Ospedali S. Camillo e Forlanini. 2001;3:151-153
4. Occhi G, **Bigi R**. L'indagine non invasiva nell' ipertensione polmonare. In: Zuin R, Nardini S, Schiavon F "Progressi clinici: L' ipertensione arteriosa polmonare", Piccin, Padova, Italy, 1997
5. Occhi G, **Bigi R**. Il piccolo circolo nello sforzo ed in altre condizioni fisiologiche. In: Zuin R, Nardini S, Schiavon F "Progressi clinici: L' ipertensione arteriosa polmonare", Piccin, Padova, Italy, 1997
6. **Bigi R**, Fiorenzano G, Occhi G. Il problema delle aritmie nella malattia ostruttiva cronica polmonare: aspetti epidemiologici, prognostici e terapeutici. In: Todisco T, Dottorini M (Edit) "*Strategie di Riabilitazione in Pneumologia*", Mattioli, Fidenza, Italy, 1993
7. Occhi G, **Bigi R**, Fiorenzano G Il paziente pneumologico visto dal cardiologo. In: Todisco T, Dottorini M (Edit) "*Strategie di Riabilitazione in Pneumologia*", Mattioli, Fidenza, Italy, 1993
8. **Bigi R**, Camerone G, Corradetti C, Occhi G, Partesana N: Comparative effect of exercise and psychological stress on platelet aggregation in coronary heart disease. In: Rulli V and Vajola SF editors "*Sport Cardiology and Cardiovascular Disease*" Pozzi, Roma, Italy, 1986,pag145-148

BOOKS

Desideri A, **Bigi R**, Cortigiani L, Rambaldi R Editors. Prognosis of coronary artery disease. Cardiovascular Research Foundation, Castelfranco Veneto, Italy, 2001